

Republic of the Philippines PROVINCE OF PAMPANGA Provincial Capitol, City of San Fernando, Pampanga

BIDS AND AWARDS COMMITTEE

BID BULLETIN 2023-01

Title: Invitation to Bid 2023-41

PR#23-1401- Supply and delivery of 1 unit brand new backhoe and 1 unit brand new hydraulic breaker

This Bid Bulletin No. 01 is issued to modify or amend items in Bid Documents.

This shall form an integral part of the Bid Documents, to wit:

PARTICULARS	AMENDMENTS	
Section VII- Technical Specifications	Please see attached Revised Technical	
	Specifications	

For your guidance and information of all concerned.

15 May 2023

FRANCIS MASLOG

BAC-Vice Chairma

Technical Specification PR No. 23 - 1401 (Revised)

em No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
1	1	unit	BRAND NEW BACKHOE	
1	'	OHIII	Specifications:	
			Diesel engine developing minimum of 156hp (115 kW), rpm-Manufacturer's	
			Standard 4-cylinder, in-line, vertical, electronic-controlled high pressure	
			fuel injectors, turbocharged with waste-gate, air-to-air intercooler	
			and water-cooled, minimum weight of unit 20 tons	
			Bucket capacity: at least 1.00 m³ with teeth	
			Track Equipment: 600mm triple grouser shoe x 46	
			roller guard; standard	
			Digging Equipment: at least 5.7mm boom, at least 2.9m arm	
			Engine Equipment: cooling system; tropical	
			Electrical Equipment: manufacturer standard	
			Cab Equipment: seal type cabin, fabric operator seat, air	
			conditioning unit, cassette radio, sun shield, sunlight	
			protection-roof	
			Protection Equipment: undercover, superstructure;	
			standard 2.3t undercover, lower frame; Std 4.5t, mud cover	
			Maintenance Equipment: tool kit, operator's manual & parts	
			catalog	
			Customized decals with installation	
			Inclusive of:	
			1 unit BRAND NEW HYDRAULIC BREAKER	
			Specifications:	
			Adaption on carriers of recommended weight: minimum 18 ton	
			maximum 26 ton	
			Operating Weight: minimum of 1,812 kgs	
			Tool Diameter: minimum of 135 mm	
			Required oil flow: 120 - 180 L/min (31.7 - 47.6 gpm)	
			Impact Rate: 350-500 bpm	
			Operating Pressure: 160-180 kg/cm2 (2,776 - 2,560 psi)	
			Customized decals with installation	
			With accessories:	
			- 1 pc. Moil point	
			- 1 set N2 charging kit	
			- 1 set Spring hose	
			- 1 set Manual and parts book	
			- 1 set Tool box	

*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the the equipment offered. Statement of "Comply" or "Not Comply" must be supported by evidence in a Bidder's Bid and cross-referrenced to that evidence. Evidence shall be in the the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (iii).

I hereby certify to comply with the Technical Specifications of all t	he items to be Bid.
Name of Company/Bidder	
Signature Over Printed Name of Representative	

Date