

Republic of the Philippines PROVINCE OF PAMPANGA Provincial Capitol, City of San Fernando, Pampanga

BIDS AND AWARDS COMMITTEE

BID BULLETIN 2023-01 Title: Invitation to Bid 2023-41

PR#23-1401- Supply and delivery of 1 unit brand new backhoe and 1 unit brand new hydraulic breaker

This Bid Bulletin No. 01 is issued to modify or amend items in Bid Documents.

This shall form an integral part of the Bid Documents, to wit:

PARTICULARS	AMENDMENTS
Section VII- Technical Specifications	Please see attached Revised Technical
	Specifications

For your guidance and information of all concerned.

15 May 2023

FRANCIS & MASLOG BAC-Vice Chairman

Technical Specification PR No. 23 - 1401 (Revised)

ĵ.

			(Revised)					-	
Ben No.	Quantity	Unit of Issue	Specification	Statement of Compliance					
1	1	unit	BRAND NEW BACKHOE		1				
		1	Specifications:		-				
			Diesel engine developing minimum of 156hp (115 kW), rpm-Manufacturer's	\parallel					
į.	: 3		Standard 4-cylinder, in-line, vertical, electronic-controlled high pressure		1				Ì
			fuel injectors, turbocharged with waste-gate, air-to-air intercooler						
			and water-cooled, minimum weight of unit 20 tons						
			Bucket capacity: at least 1.00 m³ with feeth	Ш	1				
			Track Equipment: 600mm triple grouser shoe x 46		1				
			roller guard; standard	li	Ì				
			Digging Equipment: at least 5.7mm boom, at least 2.9m arm					•	
			Engine Equipment: cooling system; tropical						
			Electrical Equipment: manufacturer standard						
			Cab Equipment: seal type cabin, fabric operator seat, air						
			conditioning unit, cassette radio, sun shield, sunlight	Ш					
			protection-roof						1
			Protection Equipment: undercover, superstructure;						
			standard 2.3t undercover, lower frame; Std 4.5t, mud cover						
			Maintenance Equipment: tool kit, operator's manual & parts						
			catalog						
			Customized decals with installation						
			Inclusive of:						
			1 unit BRAND NEW HYDRAULIC BREAKER						
			Specifications:						
]		Adaption on carriers of recommended weight: minimum 18 ton						
1			maximum 26 ton						Ì
			Operating Weight: minimum of 1,812 kgs					1	
	ļ		Tool Diameter: minimum of 135 mm				1		
	1		Required oil flow: 120 - 180 L/min (31.7 - 47.6 gpm)					1	
	ŀ		Impact Rate: 350-500 bpm						
			Operating Pressure: 160-180 kg/cm2 (2,776 - 2,560 psi)					-	
			Customized decals with installation						
			With accessories:						
			- Ì pc. Moil point						
}	l		- 1 set N2 charging kit						
	ŀ		- 1 set Spring hose						
ĺ			- 1 set Manual and parts book						
			- 1 set Tool box .						
	İ								
			, i					!	
			\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ļ	\perp			!	
								Ī	

*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the the equipment offered. Statement of "Comply" or "Not Comply" must be evidence in a Bidder's Bid and cross-referenced to that evidence. Evidence shall be in the the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause

I hereby certify to comply with the Technical Specifications of all the items to be Bid.

Signature Over Printed Name of Representative

Date