

## Republic of the Philippines Province of Pampanga Bids and Awards Committee

Provincial Capitol, City of San Fernando, (P) / (045) 435-5901

P.R. No./Date/End User: 23-3014/7-27-23/PGSO Purpose: For use of GSO Maintenance Division

REO No. 230706 AUG 1 0 2023

	REQUEST FOR QUOTATION
Company Name:	
Tel. No.:	
Please quote your lowest prand submit to this Office du	rice for the requirements listed hereunder subject to the Terms and Conditions stated below ally signed by you or your representative not later than $4:00 \text{ p.m.}$

APPROVED BUDGET FOR THE CONTRACT (ABC): PhP 671,660.00 FRANCISW MASLOG

Vice Chairperson Purs

Bids and Awards Committee

## **TERMS AND CONDITIONS:**

- All quotations may be typewritten or handwritten, placed in a sealed envelope.
- All quotations shall be valid for one hundred twenty (120) calendar days from the submission of the same.
- Any erasures or overwriting shall be valid only if they are signed or initialed by the supplier or its authorized representative.
- Interested suppliers are required to submit their valid current Mayor's Permit, PhilGEPS Registration Number, and Income/BIR Tax Return (for ABCs above P500,000.00) upon submission of quotation. In lieu of the Mayor's Permit and PhilGEPS Registration Number, the PhilGEPS Certificate of Platinum Membership may be
- submitted. For new businesses, submit the BIR Certificate of Registration in lieu of the ITR.
- The applicable rate for late deliveries is one tenth (1/10) of one percent (1%) of the cost of the unperformed portion for everyday of delay.
- The Provincial Government of Pampanga reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected supplier/s.
- The PGP also reserves the right to waive any required formality in the proposals received, and select the proposal which it determine to be the most advantageous to the government.

Item				Unit	Total
No.	Quantity	Unit	Item Description	Price	Price
			Supply and Maintenance Tools (Electrical, Carpentry,		
			Welder & Aircon Tools)		
1	1	set	Socket Wrench (8mm-24mm)		
			-Double Nickel Chromium alloy coated tip		
2	1	set	Open Wrench (8mm-24mm)	A STATE OF STATE STATE STATE AND ADMINISTRATION AND	
			Made of Chrome Vanadium Steel		
3	4	рс	Test Pen (Contactless)		
		THE CONTRACT OF THE CONTRACT O	-Non-contact voltage detection from 90 to 1000 V AC	CONTRACTOR	
			-With 'Battery Check' to ensure battery condition		
4	6	set	Insulated Screw Driver		
			-1000 V AC and 1500 V DC		
5	4	рс	Screwdriver "+", Heavy duty		
			-Size: Approx 5.5 mm x 125mm		
			-Three-sided handle allowing more torque with anti-slip and		
			anti-rolling features.		
6	4	рс	Flat Screwdriver "-", Heavy duty		
			-Size: Approx 5.5 mm x 125mm		
			-Three-sided handle allowing more torque with anti-slip and		
			anti-rolling features.		
			Continue next pagePage 1 of 6		

pino



Continue next page....Page 2 of 6

R

pens

AUG 1 0 2023 RFQ No. 230706

-	T			RFQ No.	T
Item No.	Quantity	Unit	Itam Decembris	Unit	Total
NU.	Qualitity	Ome	Item Description -Light Source: 1 pc High Brightness LED	Price	Price
	-		-Color: Temperature: 6000-6500K/Daylight		
	-		-Charger Working Voltage AC 85V-265V 50/60 Hz		
22	3	nc	-Charging Time: 3 Hours Charging Time Electric Grinder		
Eins Sein	3	рс			
23	2		-850W powerful motor		
24	10	pc	Manual Cable Cutter (up to 500 mm cable)		
2-1	10	pair	Electrician Gloves		
25	1		-Color: Red and Black		
2.3	4	рс	Rigging Sling (5 ton)		
26	0		Polyester Duplex Slings		
26	8	рс	Lifting Eye (5 ton)		
			-Maximum safe loading weight of 5 Ton.		
27		THE PROPERTY AND ADDRESS OF THE PARTY OF THE	-D shaped type shackle		
27	2	рс	Pulley (1 ton)		
			-Material: Iron		
			-Dimension: Approx 15 cm (L) x 15cm (W) x 10 cm (H)		
28	2	рс	A-Frame Ladder		
			-Made of Fiber glass		
			-300 pound load capacity, 12 ft		
29	1	рс	Transformer Ladder (20ft)		
			-Aluminum folding lightweight ladder		
30	2	рс	A-Frame Ladder (6 ft)		
			-Made of Fiber glass		
			-300 pound load capacity		
31	2	рс	Electric Battery Charger		
			-Main voltage 220V, Frequency 50-60 Hz Charging		
			-Charge Voltage: Approx 12/24 V		
			-Input power: Approx 1.2KW		
			-Effective Current Approx 45A		
***************************************			-Average Current Approx 30A		
32	2	рс	Battery Checker		
			-Battery tester can test 6V, 12V and 24V batteries, including		
			lead batteries, flat batteries, spiral batteries, EFB batteries,		
			and Gel batteries.		
33	2	рс	Series Cable (5m, 12V)		
		•	-Durable high impact clamps fit top and side post batteries		
			-Kink and Tangle free		
34	2	рс	Series Cable (5m, 24V)		
			-Durable high impact clamps fit top and side post batteries		
			-Kink and Tangle free		
35	3	рс	Iron Scissor "Gunting Yero" (Heavy duty) with cushion grip		
36	3	set	Claw Hammer, Heavy duty		
		300	-Fiberglass core		
			-Standard size		
37	2	рс	Heavy duty Hand Riveter		
		PC	-Body with non-slip grip and wrench for changing nosepieces.		
38	4	set	Cordless drill (Cordless drill)		
	T	361	-To 25,500 BPM		
			Continue next pagePage 3 of 6		

No.	Quantity	Unit	Item Description	Unit Price	Total Price
			-Voltage: atleast 20 volts	THEC	Titee
39	2	рс	Measuring Tape (8m)		
			-Tylon coated blade		
			-With soft touch case for comfortable grip		
40	2	set	Jigsaw with blade		
			-Motor: approx. 60 watts		
			-6 position dial and keylen blade		-
			-Load speed: 500-3000 rpm		
41	2	set	Chipping Gun (Heavy duty)		
			-Motor: approx. 60 watts	-	-
			-6 position dial and keylen blade		
			-Load speed: 500-3000 rpm		
42	2	set	Electronic Router		-
			-Voltage: approx. 220V		
			-Rated speed: approx. 30000 rpm		
			-Rated input power: 1200w		
AT A SECULLAR COMPANIES BA			The second secon		
The second and the second seco		The state of the s	-Rated supply type: AC power		
			-Scope application: wood chamfering		
Trend and the same of the same			-Battery core: Li-lol (lithium-ion)		
			-Tool compatible with surface: plastic, glass, ceramic, wood,		TOWN THE THE THE THE THE
43	2		Metal drywall, masonry		
13	2	set	Skill Saw	A STATE OF THE STA	The second second
			-Power input: Approx 1600w		
			-No load speed: Approx 5500 rpm		
			-Bevel capacity: Approx 45°		
			-Max cutting capacity: Approx 65mm		
4.4			-Max cutting capacity 45°: Approx 50mm		
44	1	set	Welding Machine		
			-Input Voltage: Approx 220		
			-Max rod diameter: Approx 4.0mm		
			-Rated Input Capacity: 10.2 KVA		
			-No Load Voltage: Approx 60V		
			-Duty Cycle: 60% @240A		
			-Working out range: 30-240A		
			-Max out range: 300A		1
45	1	set	Speed Cutter (Cut-off) Machine		
			-Rated Input: Approx 2,200W		
			-Cutting disc diameter: Approx 355mm		
			-Cutting disc bore: Approx 25.4mm		
			-No Load speed: Approx 3,800 rpm		
			-Cutting capacity at rectangle 0°: Approx 100mm x 196mm		
			-Cutting capacity at square 0°: Approx 100mm x 190mm		
			-Cutting capacity at L-Profile 0°:Approx 130mm x 130mm		
			-Cutting capacity at rectangle 450 mitro. Amount 130mm		
			-Cutting capacity at rectangle 45° mitre: Approx 107 x 115mm		
			-Cutting capacity at L-Profile 45° mitre: Approx 115mm x 115mm		
6	4	nc	-Tool dimension: Approx 256mm (W) x 520mm (L) x 400mm (H)		
-	7	рс	Cutter Plier		
			-Length: Approx 15cm		

Item No.	Quantity	Unit	Item Description	Unit	Total
10.	Qualitity	Unit	-Weight: Approx 0.2 kg	Price	Price
47	2	рс	Tube Cutter (Small)		
	-	рс	-Titanium finishing blade		
			-TPR handle		
			-Range (O.D.) 1/8"-7/8" (4-32MM)		
48	2	set	Flaring/Swaging Tool		
	2	301	-Case size: Approx 270mm x 187mm		
			-British system specs: Approx <sup>3</sup> / <sub>4</sub> , 5/8, ½, 3/8, 5/16, ¼		-
			-Metric system specs: Approx 6,8,10,12,16, 19mm		
			-Cutting range: Approx. 6-19mm		
49	2	cot	-Cutting thickness: Approx 1mm less		
-13		set	Spring Type Bender for Copper Tube		
			-ABN forming bending bender tool pliers allow to 80 degree		
	/		and /90 degree bends		
50			-Sizes: Approx 1/4" (6mm), 5/16" (8mm), 3/8" (10mm)		
50	4	рс	Adjustable Wrench (10 in)		
			-Adjustable spanner is a chrome-plated spanner, built with		
			an easy movable jaw.		1 2 2 2 2
			-Used for fastening nuts and bolts, and tightening of pipes		
			wheels or storage		
The State of		DATE OF THE STREET OF THE STRE	-The tool has a forged chrome, vanadium steel body that		
			makes increasingly durable and strong		
51	4	рс	Adjustable Wrench (12 in)		
			-Adjustable spanner is a chrome-plated spanner, built with an		
			easy movable jaw		
			-Used for fastening nuts and bolts, and tightening of pipes		
			Wheels or storage		
			-The tool has a forged chrome, vanadium steel body that makes		
			Increasingly durable and strong		
52	2	рс	Stone Chisel (Flat & Pointed)		
			-Size: Approx 16mm x 300 mm/18mm x 300mm		
			-Variations: Pointed/Flat		
53	2	set	Manifold Gauge (Flat & Pointed)		
			-4-way valve manifold works for R410,R22,R134a		
			-Burst pressure: 4000 PSI		
			Max working pressure: 800 PSI		
			Red yellow and Blue 60" long charging hoses (1/4"x60")		
			Black 60" long charging hose SAE (5/8" x 60")		
			5/16" (Female) to 1/4" (male) R410a Adapter for mini split		
			Charging		
54	2	рс	Torch (Mapp Gas)		
			-For soldering and brazing		
			-Applicating in HVAC and plumbing		
			-Temperature can reach 1350°C		
			-360° rotation of torch tube is capable for various using environment		
			-The continuous time of cylinder can reach 60 mins		
55	2	рс	Pinch off Plier		
			-Size: Approx 8 inches		
		,	Continue next pagePage 5 of 6		

tem No.	Quantity	Unit	Item Description	Unit Price	Total Price
			-Drop forged carbon steel	111100	Trice
			-Nickle plated		
			-Jaw opens up to 50mm		
56	2	рс	Combination Plier		
			-Material: Metal		
			-Color: Yellow & Red		
57	2	рс	Wire Stripper		***************************************
			-Stripping and Crimping Plier	THE RESIDENCE OF THE PROPERTY	
			-Material: Hard Steel		
		***************************************	-Cuts electrical wires		
			-Strip insulation shears screws and bolts clean		
			-Special Plier for stripping away the insulation on solid or		
			stranded wires.		
			-Adjusting screw allows the V shaped cutting jaws		
58	1	рс	Pressure Washer (1.5Hp)		
			-Belt type pressure washer		
			-Material: Copper		
			-Approx 220V		
			-Approx 60Hz		
			-1.5 HP Electric Motor		
			-10-meter Discharge Pressurized Hose		
59	10	рс	Power Spray Nozzle		
			-Adjustable nozzle head (jet nozzle or wide nozzle)		
			-Inner component nozzle made of brass, chrome plated		
			-Thread size: M14, standard size		
			Terms of Reference:		
			Brand of the items being offered must be indicated		
			in the quotation		
			2. With service facility in the locality for after sales service.		
			3. The procuring entity reserves the right to conduct		
			product testing/inspection to determine the fitness of the		
			items being offered by prospective suppliers.		
			After Color Consider		
			After Sales Service:		-
			Replacement of defective items within 24 hours upon  Application by the and year.  The property of the pr		
			notification by the end-user.		
			2. One (1) year warranty on item no. 7,8,31,38,41,43 & 45		
			Schedule of Requirements:		
TALLED TO SERVICE AND ADDRESS OF THE PARTY O			1. Delivery within ten (10) days upon receipt of NOA/PO		
			x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-		

pens

## THE BIDS AWARDS COMMITTEE:

Having carefully read and accepted your Terms and Conditions, supply/deliver the item/s as noted above.	including the technical specifications, I/We offer to
Supplier's authorized representative signature over printed name Designation:	BAC Canvasser
Contact No.:	
Email Address.	* JCL

penes