

Republic of the Philippines PROVINCE OF PAMPANGA Provincial Capitol, City of San Fernando, Pampanga

BIDS AND AWARDS COMMITTEE

BID BULLETIN 2023-01 Title: Invitation to Bid 2023-71

PR No. 23-2355- Supply and delivery of consolidated medical instruments

This Bid Bulletin No. 01 is issued to modify or amend items in Bid Documents.

This shall form an integral part of the Bid Documents, to wit:

Particulars	FROM	TO
Invitation to Bid Approved Budget for the Contract	1,297,215.00	1,286,165.00
Page 8 Instruction to Bidders	Please see attached Revise	d Instruction to Bidders
Section III Bid Data Sheet	Please see attached Rev	vised Bid Data Sheet
Section VII Technical Specification	Please see attached Revised	Technical Specifications

For your guidance and information of all concerned.

02 August 2023.

BAC-Chairman

(Revised)

1. Scope of Bid

The Procuring Entity, *The Provincial Government of Pampanga* wishes to receive Bids for the Procurement of *Supply & Delivery of CONSOLIDATED MEDICAL INSTRUMENTS* with *Identification Number: Purchase Request No. 23 – 2355.*

The Procurement of Supply & Delivery of CONSOLIDATED MEDICAL INSTRUMENTS is composed of One (1) Lot, the details of which are described in Section VII (Technical Specifications).

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

2. Funding Information

- 2.1. The Provincial Government of Pampanga through the source of funding as indicated below for GENERAL FUND CY 2023 in the amount of One Million Two Hundred Eighty-Six Thousand One Hundred Sixty-Five Pesos (Php 1,286,165.00).
- 2.2. The source of funding is LGU's proposed Local Government Expenditure Program

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **Invitation to Bid (IB)** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

Bid Data Sheet

(Revised)

ITB	
Clause	For this purpose, contracts similar to the Project shall be:
5.3	For this purpose, contracts similar to say, 2 2 3,4
	a. "MEDICAL INSTRUMENTS"
	, , , , , , , , , , , , , , , , , , ,
ļ	b. completed within <i>two (2) years</i> prior to the deadline for the submission
THE STATE OF THE S	and receipt of bids.
7	"Subcontracting is not Allowed"
13.2(a)	The Bid prices for Goods supplied shall be quoted in Philippine Peso
	The bid security shall be in the form of a Bid Securing Declaration, or any of the
14.1	The bid security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid securing best a security shall be in the ipini of a bid security shall be in the ipini
	1. Php 25,723.30 2% of ABC, if bid security is in cash, cashier's/manager's check,
	bank draft/guarantee or irrevocable letter of credit;
	2. Php 64,308.25 5% of ABC, if bid security is in Surety bond; or
	Any combination of the foregoing proportionate to the share of form with respect to
	total amount of security
15.1	Each Bidder shall submit <i>One (1) Copy</i> of the first and second components of its bid.
	All Envelopes shall be marked as follows in Capital Letters:
15.2	All Envelopes shall be marked as follows in earliest
	ENVELOPE MARKING
	Name and Address of Bidder The Chairperson
	Bids and Awards Committee
	Provincial Government of Pampanga Capitol Compound, CSFP
	Name of Project Contract ID
	DO NOT OPEN BEFORE: [Insert date & time of opening of bids]
19.3	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not
	be divided into sub-lots for the purpose of bluding, evaluation, and construct and
20	The bidder with the Lowest Calculated Bid shall submit ALL of the following post
20	qualification requirements:
	1. Copy of the following valid and current Eligibility and Financial Documents listed in PhilGEPS Certificate of Registration (Platinum Membership), as follows:
	- + : P LIGHT AND SOCIETIV THE EXCHANGE CONTINUES
	a) Registration Certificate Issued by Security and Exercises (SEC) or Department of Trade and Industry (DTI);
	b) Mayor's Permit or its equivalent document;
	Tay Clearance: and
	d) Latest Audited Financial Statement James to Operate (LTO) approved by FDA as Medical Device
	2. License to Operate (LIO) approved by 1511 as
- 21	Manufacturer/Trader/Distributor. No further instruction.
21	No further man decion.

Technical Specification PR No. 23 - 2355 (Revised)

1 2 3 4 5	10 25	issue pc		1
2 3 4 5		nc		
3 4 5	25	PC	Allis Forceps 8",5x,6 teeth	
4 5		рс	Allis Forceps 6" 5x6 teeth	
5	16	рс	Babcock Forcep 8 1/4" (210mm).	
	18	рс	Bag Valve Mask resuscitator w/ rebreather adult	\$
	11	рс	Bag Valve Mask resuscitator w/ rebreather infant	
9 1	11	pc	Bag Valve Mask resuscitator w/ rebreather pedia	
7	11	pair	Bandage Scissor 7"	•
8	22	pair	Bandage Scissor 8"	ŧ
9	23	рс	Blade Holder #3	
10	18	рс	Blade Holder #4	
11	2	рс	Bone Rongeur 5.5 inches length	1
12	8	рс	BP Apparatus Non Mercurial, NEONATE (Heavy Duty), Desk Type	
13	10	рс	BP Apparatus Non Mercurial, PEDIA (Heavy Duty), Desk Type	т
14	22	рс	BP Apparatus Non Mercurial, Adult (Heavy Duty), Desk Type	
15	43	рс	BP Apparatus, ANEROID TYPE, desk type	1 to
16	12	рс	Digital Infrared Thermometer Forehead Non Contact LCD (stand)	
17	7	pc	Fetal Doppler Portable	
18	2	рс	Droplight Chrome Plated Corrugated	
19	6	рс	Handheld Pulse Oximeter with three probes	111
20	20	рс	Kelly Forcep Curve 5" "	, '
21	42	рс	Kelly Forcep Curve 7"	1
22	32	рс	Kelly Forcep Straight) t
23	27	рс	Kelly pad w/inflation bag) 1
24	2	pc	Laryngoscope Adult w/ different sizes of blades	
25	2	pc	Laryngoscope Pedia w/kdifferent sizes of blades	
26	2	pc	Laryngoscope Neonate w/ Different sizes of blades	
27	10	pc	Medical Oxygen Regulator/ Medical Oxygen Gauge	
28	21	βĈ	Metz Scissor 7" (Curved)	
29	16	рс	Metz Scissor 7" (Straight)	į ;
30	15	pc	Mayo Scissor 7" (Curved)	*
31	6	pc	Mixter Forcep Right Angle 9"	
32	40	pc	Mosquito Kelly Forcep 5"	
i .	2	pc	Nebulizer, (Heavy Duty)	ļ. <u> </u>
33	2	PC	Specifications	
			Size: 10.1"W x 10.5"H x 6.5"D ; Weight: 7 lbs.	4
			Power Requirements: 1.3 amps, 115VAC 60Hz	
			Accessories: Nebulizer, Air Tube, Mouth Piece, Mask, Filter	,
			Nebulizer, (Portable)	1 1
34	4	bc	Specifications	1
	İ		Dimension (LxWxH): 270mm x 200mm x 110mm ; Wt: 2.0kg (4.4lbs)	1.1
			Power Requirements: 220/60Hz	
			Accessories: Nebulizer, Air Tube, Mouth Piece, Mask, Filter	1
	1 00		Needle Holder 7 inches	1
35	23	рс	Needle Holder 8 inches	*
36	19	be	Portable Suction Aspirator Machine (Heavy Duty)	
37	9	pc	Specifications	
			Power supply: 220V/60Hz	
			Input power - 250VA	
			Limit Negative Pressure: ≥ 0.75MPA	
			Negative Pressure Regulating Range: 0.2MPA	
			Negative Pressure Regulating Range. 0.2.11. 1 Suction Rate: ≥ 15L/min	
			Liquid Storage Bil: 1000ML/pc. 1 pc.	
			1	†
			Noise: ≤ 65 dba } 2	
			N Weight: 3.6kg Size: 280 x 196 x 285 (mm)	
		1	1 Stron 280 Y 186 X 280 UU(II)	

Technical Specification PR No. 23 - 2355 (Revised)

Specification Squantity Specification Squantity Specification Squantity Specification Squantity Specification Squantity Pulse Oximefer Adulf Pulse Oximefer Neonate Pulse Oximefer Pedia Reusable Intubation Stylet (S,M,L) (set of 3) Stainless Canister Pedia Reusable Intubation Stylet (S,M,L) (set of 3) Stainless Canister 9" Stainless Canister 10" Stainless Steel Cassette Tray 12"x10" with cover Stainless Steel Cassette Tray 12"x10" with cover Stainless Steel Cassette Tray 12"x19" with cover Stainless Steel Instrument Tray 12"x19" with cover Stainless Steel Cassette Tray 12"x19" with cover Stainless Steel Instrument Tray 12"x19" with cover Stainless Steel Cassette Tray 12"x10" with cover Stainless Tray 12"x10"				(NC \13CG)	
39 10 pc Pulse Oximeter Neonate 40 17 pc Pulse Oximeter Pedia 41 3 pc Reusable Intubation Stylet (S,M,L) (set of 3) 42 10 pc Stainless Forcep Jar 7" 43 10 pc Stainless Canister 9" 44 10 pc Stainless Steel Cassette Tray 12"x10" with cover 45 1 pc Stainless Steel Cassette Tray 8"x6" with cover 46 6 pc Stainless Steel Cassette Tray 12"x19" with cover 47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Tissue Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 Inches 64 Pc Weighing Scale with Height Measurement 65 Specifications: 65 Capacity: 400 lb x 4 oz. (180 kg x 100 g) 65 Height Rod: Measures 30-78 inches (76-198 cm) 65 Weighing Scale, Infant 65 Specifications: 65 Maximum Weight Capacity is 20kg / 44 lb	ltem No	Quantity		Specification	Statement of Compliance*
39 10 pc Pulse Oximeter Neonate 40 17 pc Pulse Oximeter Pedia 41 3 pc Reusable Intubation Stylet (S,M,L) (set of 3) 42 10 pc Stainless Forcep Jar 7" 43 10 pc Stainless Canister 9" 44 10 pc Stainless Steel Cassette Tray 12"x10" with cover 45 1 pc Stainless Steel Cassette Tray 8"x6" with cover 46 6 pc Stainless Steel Cassette Tray 12"x19" with cover 47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Tissue Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 Inches 64 Pc Weighing Scale with Height Measurement 65 Specifications: 65 Capacity: 400 lb x 4 oz. (180 kg x 100 g) 65 Height Rod: Measures 30-78 inches (76-198 cm) 65 Weighing Scale, Infant 65 Specifications: 65 Maximum Weight Capacity is 20kg / 44 lb					
39 10 pc Pulse Oximeter Neonate 40 17 pc Pulse Oximeter Pedia 41 3 pc Reusable Intubation Stylet (S,M,L) (set of 3) 42 10 pc Stainless Forcep Jar 7" 43 10 pc Stainless Canister 9" 44 10 pc Stainless Steel Cassette Tray 12"x10" with cover 45 1 pc Stainless Steel Cassette Tray 8"x6" with cover 46 6 pc Stainless Steel Cassette Tray 12"x19" with cover 47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Tissue Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 Inches 64 Pc Weighing Scale with Height Measurement 65 Specifications: 65 Capacity: 400 lb x 4 oz. (180 kg x 100 g) 65 Height Rod: Measures 30-78 inches (76-198 cm) 65 Weighing Scale, Infant 65 Specifications: 65 Maximum Weight Capacity is 20kg / 44 lb	38	26	pc	Pulse Oximeter Adult	
40 17 pc Pulse Oximeter Pedia Reusable Intubation Stylet (S,M,L) (set of 3) 42 10 pc Stainless Forcep Jar 7" 43 10 pc Stainless Canister 9" 44 10 pc Stainless Steel Cassette Tray 12"x10" with cover Stainless Steel Cassette Tray 8"x5" with cover Stainless Steel Instrument Tray 12"x19" with cover Stainless Steel Instrument Tray 12"x19" with cover Stethoscope (Adult) 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Towel Clips 5 Inches 52 27 pc Towel Clips 5 Inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1			
41 3 pc Reusable Intubation Stylet (S,M,L) (set of 3) 42 10 pc Stainless Forcep Jar 7" 43 10 pc Stainless Canister 9" 44 10 pc Stainless Canister 10" 45 1 pc Stainless Steel Cassette Tray 12"x10" with cover 46 6 pc Stainless Steel Cassette Tray 8"xx" with cover 47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 Inches 64 Pc Weighing Scale with Height Measurement 65 Specifications: 65 Capacity: 400 lb x 4 oz. (180 kg x 100 g) 65 Height Rod: Measures 30-78 inches (76-198 cm) 65 Weighing Scale, Infant 65 Specifications: 65 Maximum Weight Capacity is 20kg / 44 lb		ì		lie -	
42		1			
43 10 pc 44 10 pc 45 1 pc 46 6 pc 47 1 pc 48 9 pc 51 inless Steel Cassette Tray 12"x19" with cover 48 9 pc 52 27 pc 53 15 pc 54 4 pc 55 4 4 pc 55 3 set 55 3 set 56 3 set 56 10 pc 57 Stainless Steel Instrument Tray 12"x19" with cover 58 tainless Steel Instrument Tray 12"x19" with cover 59 pc 50 7 pc 51 27 pc 52 27 pc 53 15 pc 54 4 pc 55 3 15 pc 56 3 set 56 4 4 pc 57 Towel Clips 5 inches 58 Weighing Scale with Height Measurement 59 Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1			
44 10 pc Stainless Canister 10" 45 1 pc Stainless Steel Cassette Tray 12"x10" with cover 46 6 pc Stainless Steel Cassette Tray 8"x6" with cover 47 1 pc Stainless Steel Instrument Tray12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1	, ,		
1 pc Stainless Steel Cassette Tray 12"x10" with cover Stainless Steel Cassette Tray 8"x6" with cover pc Stainless Steel Instrument Tray 12"x19" with cover pc Steinless Steel Instrument Tray 12"x19" with cover pc Stethoscope (Adult) 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) Thumb Forcep 6" Thumb Forcep 6" Tissue Forcep 6" Towel Clips 5 inches Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb			! '		.
46 6 pc Stainless Steel Cassette Tray 8"x6" with cover 47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1	рс	Stainless Steel Cassette Tray 12"x10" with cover	
47 1 pc Stainless Steel Instrument Tray 12"x19" with cover 48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		6	рс	Stainless Steel Cassette Tray 8"x6" with cover	
48 9 pc Stethoscope (Adult) 49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1	1 '	Stainless Steel Instrument Tray 12"x19" with cover	
49 8 pc Stethoscope (Pedia) 50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		ġ	1 '		1
50 7 pc Stethoscope (Neonate) 51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1	1 .		İ
51 27 pc Thumb Forcep 6" 52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) 55 3 set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		1	1 '	1 1	
52 27 pc Tissue Forcep 6" 53 15 pc Towel Clips 5 inches 54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		27	1 -	1	
53 15 pc Towel Clips 5 inches 9c Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		ı	1 '	· · · · · · · · · · · · · · · · · · ·	
54 4 pc Weighing Scale with Height Measurement Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Set Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb		15	1 .	Towel Clips 5 inches	
Specifications: Capacity: 400 lb x 4 oz. (180 kg x 100 g) Height Rod: Measures 30-78 inches (76-198 cm) Weighing Scale, Infant Specifications: Maximum Weight Capacity is 20kg / 44 lb					
Height Rod: Measures 30-78 inches (76-198 cm) Set Weighing Scale, Infant Specifications: ' Maximum Weight Capacity is 20kg / 44 lb			, •		
55 3 set Weighing Scale, Infant Specifications: ' Maximum Weight Capacity is 20kg / 44 lb				Capacity: 400 lb x 4 oz. (180 kg x 100 g)	
Specifications: / Maximum Weight Capacity is 20kg / 44 lb				Height Rod: Measures 30-78 inches (76-198 cm)	
Specifications: / Maximum Weight Capacity is 20kg / 44 lb	55	3	set	Weighing Scale, Infant	
				, - -	
Plate Dimensions 54.5 x 26cm				Maximum Weight Capacity is 20kg / 44 lb	
				Plate Dimensions 54.5 x 26cm	

*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the the equipment offered. Statement of "Comply" or "Not Comply" must be supported by evidence in a Bidder's Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence of is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract, may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (iii).

I hereby certify to comply with the Technical Specifications of all the items to be Bid.

11	•	•	•
Name of Company/Bidder		•	i
			• 4
	.1		}
			• •
Signature Over Printed Na	me of Rep	resen	tativ

Date