

Republic of the Philippines
PROVINCE OF PAMPANGA
City of San Fernando
INVITATION TO BID NO. 2024-01
MEDIC-BAG

INVITATION TO BID FOR PURCHASE REQUEST NO. 23-4928, 23-4929, 23-4930, 23-4942 and 23-5029

1. The **Provincial Government of Pampanga ("Province")** intends to apply the following sums from the following funds, as follows:

* SOURCE OF FUNDING/YEAR	APPROVED BUDGET FOR THE CONTRACT (ABC)	PURCHASE REQUEST NUMBER	DESCRIPTION
General Fund	1,101,790.00	#23-4928	Supply and delivery of consolidated medical instruments
General Fund	1,683,490.00	#23-4929	Supply and delivery of consolidated medical supplies
General Fund	3,334,075.00	#23-4930	Supply and delivery of consolidated laboratory supplies
General Fund	1,548,275.00	#23-4942	Supply and delivery of consolidated office supplies
General Fund	12,411,936.00	#23-5029	Supply and delivery of assorted medicines

Bids received in excess of the ABC shall be automatically rejected at bid opening.

Bidder may bid on any or all lots.

- The **Province** invites bids for the above Procurement Project. Delivery of Goods shall be in accordance with the delivery schedule under Section VI. **Schedule of Requirements**. Bidders should have completed, within two years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.
- Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

- Interested bidders may obtain further information from the **Province** and inspect the Bidding Documents at the **Bids and Awards Committee (BAC) Secretariat Office, Ground Floor, Provincial Capitol, City of San Fernando, Pampanga between 8:00 A.M. to 5:00 P.M.**
- A complete set of Bidding Documents may be purchased by interested Bidders from **January 4, 2024 (Thursday) between 8:00 A.M. to 5:00 P.M. up to January 24, 2024 (Wednesday) until 8:00 A.M. only** from the given address above and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amounts:

PURCHASE REQUEST NUMBER	ABC	AMOUNT
#23-4928	1,101,790.00	5,000.00
#23-4929	1,683,490.00	5,000.00
#23-4930	3,334,075.00	5,000.00
#23-4942	1,548,275.00	5,000.00

#23-5029

12,411,936.00

25,000.00

The procuring entity shall allow the bidder to present its proof of payment of the fees in person.

6. The **Province** will hold a Pre-Bid Conference on **January 12, 2024 (Friday), 9:00 A.M.** at the **Old SP Session Hall, Second Floor, Provincial Capitol, City of San Fernando, Pampanga**, which shall be open to prospective bidders.
7. Bids must be duly received by the **Bids and Awards Committee (BAC) Secretariat Office** thru manual submission at **Ground Floor, Provincial Capitol, City of San Fernando, Pampanga** on or **before 8:30 A.M. of January 24, 2024 (Wednesday)**. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 14**.
9. Opening of bids will be on **January 24, 2024 (Wednesday), 9:00 A.M.** at the **Old SP Session Hall, Second Floor, Provincial Capitol, City of San Fernando, Pampanga**. Bids will be opened in the presence of the bidders' representatives who choose to attend at the activity.
10. Online bid submission is not applicable.
11. The **Province** reserves the right to accept or reject any and all bids, declare a failure bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without hereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:
ATTY. JOSE LUIS REY S. MUNSAYAC
Chairperson - Bids and Awards Committee
(BAC) Secretariat BAC Secretariat Office,
Ground Floor, Provincial Capitol, City of San
Fernando, Pampanga
13. You may visit the following websites:

For downloading of Bidding Documents: www.pampanga.gov.ph

January 3, 2024


ATTY. CECIL L. ANDIN
Chairman *per*
Bids and Awards Committee

Republic of the Philippines
PROVINCE OF PAMPANGA
City of San Fernando
INVITATION TO BID NO. 2024-02
IG - BAC

INVITATION TO BID FOR PURCHASE REQUEST NO. 23-3523

1. The **Provincial Government of Pampanga ("Province")** intends to apply the following sums from the following funds, as follows:

SOURCE OF FUNDING/YEAR	APPROVED BUDGET FOR THE CONTRACT (ABC)	PURCHASE REQUEST NUMBER	DESCRIPTION
General Fund	2,874,500.00	#23-3523	Supply and installation of IP Surveillance System

Bids received in excess of the ABC shall be automatically rejected at bid opening.
Bidder may bid on any or all lots.

2. The **Province** invites bids for the above Procurement Project. Delivery of Goods shall be in accordance with the delivery schedule under Section VI. **Schedule of Requirements**. Bidders should have completed, within two years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

4. Interested bidders may obtain further information from the **Province** and inspect the Bidding Documents at the **Bids and Awards Committee (BAC) Secretariat Office, Ground Floor, Provincial Capitol, City of San Fernando, Pampanga between 8:00 A.M. to 5:00 P.M.**
5. A complete set of Bidding Documents may be purchased by interested Bidders from **January 4, 2024 (Thursday) between 8:00 A.M. to 5:00 P.M. up to January 24, 2024 (Wednesday) until 8:00 A.M. only** from the given address above and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amounts:

PURCHASE REQUEST NUMBER	ABC	AMOUNT
#23-3523	2,874,500.00	5,000.00

The procuring entity shall allow the bidder to present its proof of payment of the fees in person.

6. The **Province** will hold a Pre-Bid Conference on **January 12, 2024 (Friday), 10:00 A.M.** at the **Old SP Session Hall, Second Floor, Provincial Capitol, City of San Fernando, Pampanga**, which shall be open to prospective bidders.
7. Bids must be duly received by the **Bids and Awards Committee (BAC) Secretariat Office** thru manual submission at **Ground Floor, Provincial Capitol, City of San Fernando, Pampanga on or before 8:30 A.M. of January 24, 2024 (Wednesday)**. Late bids shall not be accepted.
8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 14**.
9. Opening of bids will be on **January 24, 2024 (Wednesday), 10:00 A.M.** at the **Old SP Session Hall, Second Floor, Provincial Capitol, City of San Fernando, Pampanga**. Bids will be opened in the presence of the bidders' representatives who choose to attend at the activity.

10. Online bid submission is not applicable.

11. The **Province** reserves the right to accept or reject any and all bids, declare a failure bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without hereby incurring any liability to the affected bidder or bidders.

12. For further information, please refer to:

ATTY. JOSE LUIS REY S. MUNSAYAC
Chairperson - Bids and Awards Committee
(BAC) Secretariat BAC Secretariat Office,
Ground Floor, Provincial Capitol, City of San
Fernando, Pampanga

13. You may visit the following websites:

For downloading of Bidding Documents: www.pampanga.gov.ph

January 3, 2024



ATTY. CECIL L. ANDIN
Chairman
Bids and Awards Committee

Republic of the Philippines
PROVINCE OF PAMPANGA
 City of San Fernando
INVITATION TO BID No. 2024-03
IG-BAC

INVITATION TO BID FOR PURCHASE REQUEST NOS. 23-4356 and 23-4515

The **Provincial Government of Pampanga ("Province")** intends to apply the following sums from the following funds, as follows:

SOURCE OF FUNDING/YEAR	APPROVED BUDGET FOR THE CONTRACT (ABC)	PURCHASE REQUEST NUMBER	DESCRIPTION
General Fund	14,718,618.81	#23-4356	To supply labor, materials and necessary equipment for the Improvement of Electrical System at Dr. Emigdio C. Cruz Sr. Memorial Hospital San Agustin Norte, Arayat, Pampanga
General Fund	11,998,367.44	#23-4515	To supply labor, materials and necessary equipment for the Rehabilitation/ Improvement of Barangay Road at Remedios, Lubao, Pampanga.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- The **Province** invites bids for the foregoing projects. Completion of the Works is required as follows:

PURCHASE REQUEST NUMBER	EXPECTED CONTRACT DURATION
#23-4356	120 CALENDAR DAYS FROM RECEIPT OF NOTICE TO PROCEED
#23-4515	150 CALENDAR DAYS FROM RECEIPT OF NOTICE TO PROCEED

Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II, Instruction to Bidders.

- Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- Interested bidders may obtain further information from the **Province** and inspect the Bidding Documents at the **Bids and Awards Committee (BAC) Secretariat Office, Ground Floor, Provincial Capitol, City of San Fernando, Pampanga between 8:00 A.M. to 5:00 P.M.**
- A complete set of Bidding Documents may be acquired by interested Bidders on **January 4, 2024 (Thursday) between 8:00 A.M. to 5:00 P.M. up to January 24, 2024 (Wednesday) until 8:00 A.M. only** from the address above, and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amounts:

PURCHASE REQUEST NUMBER	ABC	AMOUNT
#23-4356	14,718,618.81	25,000.00
#23-4515	11,998,367.44	25,000.00

- The **Province** will hold a Pre-Bid Conference on **January 12, 2024 (Friday), 10:00 A.M.** at the **Bids and Awards Committee (BAC) Session Hall, Ground Floor, Provincial Capitol, City of San Fernando, Pampanga**, which shall be open to prospective bidders.
- Bids must be duly received by the **Bids and Awards Committee (BAC) Secretariat Office** thru manual submission at **Ground Floor, Provincial Capitol, City of San Fernando, Pampanga on or before 8:30 A.M. of January 24, 2024 (Wednesday)**. Late bids shall not be accepted

7. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 16.**
8. Opening of bids will be on **January 24, 2024 (Wednesday), 10:00 A.M.** at the **Bids and Awards Committee (BAC) Session Hall, Ground Floor, Provincial Capitol, City of San Fernando, Pampanga.** Bids will be opened in the presence of the bidders' representatives who choose to attend at the activity.
9. Online bid submission is not applicable.
10. The **Province** reserves the right to accept or reject any and all bids, declare a failure bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without hereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:
ATTY. JOSE LUIS REY S. MUNSAYAC
Chairperson - Bids and Awards Committee
(BAC) Secretariat BAC Secretariat Office,
Ground Floor, Provincial Capitol, City of San
Fernando, Pampanga

13. You may visit the following websites:

For downloading of Bidding Documents: www.pampanga.gov.ph

January 3, 2024



ATTY. CECIL L. ANDIN
Chairman
Bids and Awards Committee



Republic of the Philippines
PROVINCE OF PAMPANGA
Provincial Capitol, City of San Fernando, Pampanga

BIDS AND AWARDS COMMITTEE

BID BULLETIN 2024-01

PR# 23-4810- Supply, delivery and installation of LED Wall

This Bid Bulletin No. 01 is issued to modify or amend items in Bid Documents. This shall form an integral part of the Bid Documents, to wit:

PARTICULARS	AMENDMENTS
Section VII- Technical Specifications	Please see attached Revised Technical Specifications

For your guidance and information of all concerned.

03 January 2024.

ATTY. CECIL L. ANDIN
BAC-Chairman

Technical Specification

PR No. 23 - 5059

(Revised)

Item No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
1	1	lot	<p style="text-align: center;">1 LOT SUPPLY & COMMISSIONING OF AUDIO & VISUAL CONFERENCE SYSTEM</p> <p>1 set LED WALL <i>Specifications:</i> Total Installed Dimensions of LED WALL: Approx: 11 ft. length, 8 ft. height for Executive House Consisting of 35 panels with panel size of 500mm x 500mm x 83mm with extra additional 5 backup panels Total Panels: 40 panels Pixel Pitch- at least 2.5mm Module Size: approx 250mm x 250mm Weight Per Panel: approx. 7.5/13.5kg Refresh Rate: approx. 1920 - 3840Hz Driving Type: 1/25 Brightness: approx. 800nits Maximum Power: 528 W/m² IP Rating: approx. 176 W/m² Typical Value: approx. 100,000 hours Installation Type: Fix</p> <p>1 unit HYBRID IMPULSE RESPONSE CONTROL UNIT <i>Specifications:</i> <ul style="list-style-type: none"> -- infrared and wired discussion unit -- 10-16 band feedback suppressor for the control unit mountable rack -- with automated gain control, mic gain and mic equalizer for each channel -- can be operated or controlled locally through web or other control systems -- at least 3 selectable conference modes -- recording through USB on control unit </p> <p>20 units IMPULSE RESPONSE DISCUSSION UNIT <i>Specifications:</i> <ul style="list-style-type: none"> -- can connect up to 200 discussion unit -- up to 13 hours of operation through battery compatible with 3 pin gooseneck for the discussion unit -- infrared can compatible with the control unit -- bandwidth: 1-15 mhz -- 6-8 db headroom -- compatible with lithium ion battery -- signal ratio: 50-60db -- operating distance: 6-10m -- frequency response: 100-20,000hz </p> <p>8 units IMPULSE RESPONSE TRANSCEIVER UNIT <i>Specifications:</i> <ul style="list-style-type: none"> -- operating distance : 6-10m -- bandwidth: 1mhz-10mhz -- fm modulation method -- with LED indicator </p> <p>4 units IMPULSE RESPONSE DISTRIBUTION UNIT <i>Specifications:</i> <ul style="list-style-type: none"> -- antenna and distribution unit -- number of distribution: 2-4 -- bnc jack connection -- infrared bandwidth: 1mhz-10mhz -- fm modulation method </p>	

Technical Specification
PR No. 23 - 5059
 (Revised)

Item No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
			<p>40 pcs. LITHIUM ION BATTERY (rechargeable) <i>Specifications:</i></p> <ul style="list-style-type: none"> -- compatible with IR discussion:unit -- operating time: 7-10 hours -- charging time: 5-6 hours <p>20 pcs. GOOSENECK MICROPHONE <i>Specifications:</i></p> <ul style="list-style-type: none"> -- 6-10m XLR 3 pin connector -- with LED indicator -- with detachable wind screen -- with Radio Frequency Interface shielding for Radio Frequency Interference Rejection -- Hypercardioid Polar Pattern -- Frequency Response: 100-1500hz -- Maximum Input Sound: 100-140 <p>2 pcs. DYNAMIC MICROPHONE <i>Specifications:</i></p> <ul style="list-style-type: none"> -- cardioid polar pattern -- can handle high sound pressure level -- consistent sound quality, good handling noise and rugged metal housing <p>1 unit DIGITAL MIXER <i>Specifications:</i></p> <ul style="list-style-type: none"> -- input channel: 16-24 digital mixer -- output: 10-14 output digital mixer -- real time analyzer -- 10-120 presets -- wifi ready audio mixer <p>2 units COLUMNAR SPEAKER PASSIVE 6"x4" <i>Specifications:</i></p> <ul style="list-style-type: none"> -- compact line array system with at least frequency response of 20khz-120khz -- 90-110 db passive speaker -- 100-250 power watts -- input impedance: 4-8 ohms -- 2 way line array system -- with aluminum powder coated cabinet <p>2 units COLUMNAR SPEAKER PASSIVE 4" x 3" <i>Specifications:</i></p> <ul style="list-style-type: none"> -- at least Ingress Protection 55 rating -- frequency response: 20-120khz -- with vertical dispersion angle -- 60-150 watts passive column array system -- with nominal impedance of 8-16 ohm -- sensitivity: 90-95 db <p>1 unit Power Amplifier <i>Specifications:</i></p> <ul style="list-style-type: none"> -- 2-4 channel power amplifier -- 500-800 watts power per channel 	

Technical Specification

PR No. 23 - 5059

(Revised)

Item No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
			<ul style="list-style-type: none"> -- with selectable hi-z and lo-z capability -- with cloud feature and can be connected to wifi or Ethernet cable -- sensitivity: 20-40 db with selectable feature -- frequency response: at least 20khz -- 2 ohms, 4 ohms or 8 ohms options -- signal to noise ratio: 100-110 db -- processor: at least 96khz -- parametric equalizer: 8-12 band per channel -- output delay: 80-100ms per channel <p>2 units ACTIVE SUBWOOFER</p> <p><i>Specifications:</i></p> <ul style="list-style-type: none"> -- .15"-18" subwoofer -- power: 1000-2000 watts -- frequency range: 30-120 hz -- sound pressure level: 120-140 db -- with xlr and 1/4 connector -- with pole socket of 30-40mm -- with polarity reverse switch -- with selectable digital signal processing -- with transducer overdrive protection <p>2 pcs. MICROPHONE STAND</p> <p><i>Specifications:</i></p> <ul style="list-style-type: none"> -- with boom attachment -- adjustable height up to 70" -- tripod base made of die cast aluminum -- with universal mic holder <p>2 pcs. PASSIVE DIRECT INJECTION BOX</p> <p><i>Specifications:</i></p> <ul style="list-style-type: none"> -- passive stereo box -- frequency response: at least 20khz -- input impedance: 120-140 ohms -- output impedance: 120-150 ohms -- with at least 20 db of maximum input <p>3 pcs. DIRECT INJECTION BOX PRESENTER</p> <p><i>Specifications:</i></p> <ul style="list-style-type: none"> -- with box for presentation with mic and laptop mixer -- with active preamp circuit -- with at least 2-4 channels -- with at least 8-10 ohms of input impedance -- with at least 2-3 ohms of output impedance -- with noise floor of 80-60 dbu -- maximum input: at least 7db -- with input connectors of xlr, 3.5mm and USB 2.0 Type B <p>3 pcs. CHARGING STATION</p> <p><i>Specifications:</i></p> <ul style="list-style-type: none"> -- power supply: 100 to 240 AC, 50/60Hz (using AC Adapter of 10V, 7.2A) -- power consumption: at least 50w (10V, 5A) -- charging time: 4 to 5.5 hours -- Accessories: AC adapter and AC power cord 	

Technical Specification

PR No. 23 - 5059

(Revised)

Item No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
			Inclusive of: * Fabrication & Installation of LED wall framing and Control Center counter based on the materials and technical designs and perspective under Annex A, Annex B, Annex C & Annex D	

*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the the equipment offered. Statement of "Comply" or "Not Comply" must be supported by evidence in a Bidder's Bid and cross-referenced to that evidence. Evidence shall be in the the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (ii).

I hereby certify to comply with the Technical Specifications of all the items to be Bid.

Name of Company/Bidder

Signature Over Printed Name of Representative

Date

Technical Specification
PR No. 23 - 4810
(Revised)

Item No.	Quantity	Unit of Issue	Specification	Statement of Compliance*
1	2	unit	<p>SUPPLY, DELIVERY & INSTALLATION of LED WALL</p> <p><i>Specifications:</i></p> <p>Total Installed Dimensions per LED WALL: Approx.: 11ft length, 8ft height for BZGCC</p> <p>Consisting of 35 panels per LED Wall with panel size of 500mm x 500mm x 83mm with extra additional 5 backup panels per LED Wall</p> <p>Total Panels: 80 Panels</p> <p>Pixel Pitch: approx. 2.5mm Module Size: approx. 250mm x 250mm Weight per panel: approx. 7.5/13.5 kg Refresh Rate: approx. 1920-3840Hz Driving Type: 1/25 Brightness: approx. 800nits Max Power: 528W/m² IP Rating: approx. 176W/m² Typical Value: approx 100,000Hrs. Installation Type: Fix</p>	

*Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the the equipment offered. Statement of "Comply" or "Not Comply" must be supported by evidence in a Bidder's Bid and cross-referenced to that evidence. Evidence shall be in the the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (ii).

I hereby certify to comply with the Technical Specifications of all the items to be Bid.

 Name of Company/Bidder

 Signature Over Printed Name of Representative

 Date