



Republic of the Philippines  
Province of Pampanga  
**Bids and Awards Committee**  
Provincial Capitol, City of San Fernando, (P) / (045) 435-5901

JUN 06 2024

RFQ No. 240558  
P.R. No. / Date / End User / Purpose:  
(24-3176 5/27/2024 GO To upgrade IP Surveillance Cameras of District Hospitals )

**REQUEST FOR QUOTATION**  
Small Value Procurement

Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Tel. No.: \_\_\_\_\_

Please quote your lowest price for the requirements listed hereunder subject to the Terms and Conditions stated below and submit to this Office duly signed by you or your representative not later than 4:00 p.m. JUN 11 2024

APPROVED BUDGET FOR  
THE CONTRACT (ABC):  
PhP 988,050.00

FRANCIS V. MASLOG  
VICE-CHAIRPERSON *pm*  
Bids and Awards Committee

**TERMS AND CONDITIONS**

- All quotations may be typewritten or handwritten, placed in a sealed envelope.
- All quotations shall be valid for one hundred twenty (120) calendar days from the deadline of the submission of the same.
- Any erasures or overwriting shall be valid only if they are signed or initialed by the supplier or its authorized representative.
- Interested suppliers are required to submit their valid current Mayor's Permit, PhilGEPS Registration Number, and Income/BIR Tax Return (for ABCs above P500,000.00) upon submission of quotation. In lieu of the Mayor's Permit and PhilGEPS Registration Number, the PhilGEPS Certificate of Platinum Membership may be submitted. For new businesses, submit the BIR Certificate of Registration and latest quarterly return or percentage tax..

- The applicable rate for late deliveries is one tenth (1/10) of one percent (1%) of the cost of the unperformed portion for everyday of delay.
- The Provincial Government of Pampanga reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected supplier/s.
- The PGP also reserves the right to waive any required formality in the proposals received, and select the proposal which it determine to be the most advantageous to the government.

Item No.	Qty	Unit	Item Description	Unit Price	Total Price
1	1	Lot	Supply and Installation of IP Surveillance Cameras of District Hospitals  ***Please see attached Terms of Reference***		

Total Lot Price

Note: The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.

**THE BIDS AWARDS COMMITTEE:**

Having carefully read and accepted your Terms and Conditions, including the technical specifications, I/We offer to supply/deliver the item/s as noted above.

\_\_\_\_\_  
Supplier's authorized representative signature over printed name  
Designation: \_\_\_\_\_  
Contact No.: \_\_\_\_\_  
Email Address.: \_\_\_\_\_

\_\_\_\_\_  
BAC CANVASSER

Jaq

## TERMS OF REFERENCE

### SCOPE OF WORK

1. Supplier must provide a complete installation and provide all necessary equipment, parts and labor to achieve the performance and operability outlined herein.
2. Contractor shall provide an IP-based network video recorders (NVR) to store and allow retrieval of camera footages.
3. Contractor shall provide an IP-based Dome Network Cameras, Bullet Network Cameras with high-quality resolutions. Provide essential peripherals as necessary.
4. Supply and installation of network switch necessary for the termination of cable runs.
5. Supplier shall provide all necessary mounting equipment to hold head-end equipment. Also provide all interfaces, connectors, and other parts to provide a complete and functional system.
6. Supplier shall submit the list of delivered materials
7. Conduct Users and Hands-on Training of I.T. staff

### TECHNICAL SPECIFICATIONS

#### **NETWORK VIDEO RECORDER**

- up to 16-ch IP camera inputs, H.265+/H.265/H.264+/H.264 Video Formats, up to 4 SATA for HDD connection up to 10TB capacity per HDD, at least 160MBPS incoming bandwidth, supports up to 4K, with 2 units 2TB Surveillance HDD

#### **IP DOME NETWORK CAMERA**

- with at least 2MP, up to 1920 x 1080 @30fps, H.265+ / H.265 / H.264+ / H.264, WDR, IP67, IK10, up to 30m IR range

#### **IP BULLET NETWORK CAMERA**

- at least 2MP, up to 1920 x 1080, H.265+ / H.265 / H.264+ / H.264, WDR, IP67, up to 30m IR range, 3 streams

#### **24-PORT POE SWITCH**

- at least 24 PoE+ 10/100mbps RJ45 Ports, at least 2 10/100/1000 Mbps RJ45 Ports, at least 2 Combo Gigabit SFP slots, up to 8Gbps Switching Capacity, up to 6.5Mpps Packet Forwarding Rate

#### **CCTV MONITOR**

- at least 43-inch with bracket

## DETAILED ESTIMATED MATERIALS

### **DR. ANDRES LUCIANO DISTRICT HOSPITAL - MAGALANG**

- At least 4 units 2MP IP Network Bullet Cameras
- At least 12 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

<b>TYPE</b>	<b>LOCATION</b>
BULLET	MAIN BUILDING TO MED. ARTS BLDG
BULLET	ER ENTRANCE (FRONT)
BULLET	SIDE HOSPITAL INFRONT OF ALAGANG NANAY BLDG.
BULLET	INFRONT OF LEFT ENTRANCE GATE
DOME	OR/DR ENTRANCE
DOME	ER ENTRANCE (BACK)
DOME	INFRONT OF BIOMETRICS & WAITING AREA LAB.
DOME	WARD ROOM 1 TO ROOM 4
DOME	WARD ROOM 9 TO ROOM 5
DOME	INFRONT OF CF1 AND CF2 WINDOW HALLWAY
DOME	INFRONT OF NURSE STATION
DOME	PULMO WARD
DOME	BIRTHING BLDG. ENTRANCE
DOME	BIRTHING BLDG. HALLWAY
DOME	PHARMACY
DOME	CSR

### **DOMINGO B. FLORES DISTRICT HOSPITAL - MACABEBE**

- At least 3 units 2MP IP Network Bullet Cameras
- At least 5 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

<b>TYPE</b>	<b>LOCATION</b>
BULLET	OUT SIDE PARKING FRONT OF POWER HOUSE
BULLET	LAUNDRY
BULLET	MESS HALL

TYPE	LOCATION
DOME	CSR
DOME	WAITING AREA INSIDE
DOME	OR/DR
DOME	WARD HALL
DOME	STAIRS FRONT BILLING

**DR. EMIGDIO C. CRUZ SR. MEMORIAL HOSPITAL - ARAYAT**

- At least 2 units 2MP IP Network Bullet Cameras
- At least 11 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

TYPE	LOCATION
BULLET	MAIN ENTRANCE
BULLET	MAIN DOOR OF EMERGENCY
DOME	MAIN DOOR HOSPITAL BUILDING
DOME	EMERGENCY ROOM
DOME	CENTRAL SUPPLY ROOM
DOME	WARD HALL WAY
DOME	WARD HALL EXIT
DOME	SEMI PRIVATE ROOM HALLWAY
DOME	DELEVERY ROOM HALL WAY
DOME	NURSE STATION
DOME	ANNEX HALLWAY
DOME	ANNEX HALLWAY EXIT
DOME	PRIVATE ROOM HALLWAY

**ESCOLASTICA ROMERO DISTRICT HOSPITAL - LUBAO**

- At least 14 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

TYPE	LOCATION
DOME	DIETARY
DOME	BACKDOOR
DOME	EXIT 2
DOME	ENTRY CSHR IT
DOME	EXIT 1
DOME	PRIVATE ROOMS
DOME	COMMON AREA
DOME	ENTRANCE MID
DOME	EXIT 1 NURSE 1
DOME	PHARMACY
DOME	WARD HALLWAY
DOME	OR / DR EXIT
DOME	PHARMACY CAM 1
DOME	LOBBY

**JOSE SONGCO LAPID DISTRICT HOSPITAL - PORAC**

- At least 2 units 43-inch LED Monitor with bracket

**MABALACAT DISTRICT HOSPITAL - MABALACAT**

- At least 3 units 2MP IP Network Bullet Cameras
- At least 17 units 2MP IP Network Dome Cameras
- At least 2 units 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

TYPE	LOCATION
BULLET	ENTRANCE
BULLET	PARKING 1
BULLET	PARKING 2
DOME	OPD ENTRANCE
DOME	OPD CONSULTATION HALLWAY
DOME	DIALYSIS HALLWAY (OPD - DIALYSIS)
DOME	STAIR (FIRST FLOOR - SECOND FLOOR)
DOME	SECOND FLOOR HALLWAYS (STOCK ROOM - ADMIN OFFICE)
DOME	PHARMACY STORAGE ROOM
DOME	CSR
DOME	CORRIDOR (PHARMACY - DINE IN)
DOME	EMERGENCY ROOM

TYPE	LOCATION
DOME	NURSE STATION
DOME	LABOR ROOM BACK
DOME	WARD ROOM BACK
DOME	SURGICAL HALLWAY (OPERATING ROOM 2 - EXIT DOOR)
DOME	OR HALLWAY (ENTRANCE - OR OFFICE)
DOME	WARD HALLWAY (PEDIA 2 - ISOLATION ROOM)
DOME	GARDEN
DOME	PUBLIC CR

**ROMANA PANGAN DISTRICT HOSPITAL - FLORIDABLANCA**

- At least 3 units 3MP IP Network Bullet Cameras
- At least 10 units 10MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- At least 2 units 24-Port POE + 2-Port Gigabit Unmanaged PoE+ Switch
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

TYPE	LOCATION
BULLET	ER CLEAN ENTRANCE
BULLET	ER ISO ENTRANCE
BULLET	SUPPLY ENTRANCE
DOME	ER ISO HALLWAY
DOME	ER CLEAN HALLWAY
DOME	ER CLEAN TO SURGICAL HALLWAY
DOME	SURGICAL HALLWAY
DOME	WINDOW 5 RECORDS HALLWAY
DOME	DIETARY HALLWAY
DOME	SURGICAL NURSE STATION
DOME	SURGICAL TO OR HALLWAY
DOME	SURGICAL TO MEDICAL WARD HALLWAY
DOME	MEDICAL HALLWAY ENTRANCE
DOME	MEDICAL HALLWAY EXIT
DOME	CHAPEL HALLWAY

### **RICARDO P. RODRIGUEZ MEMORIAL HOSPITAL - BULAON**

- At least 3 units 2MP IP Network Bullet Cameras
- At least 8 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

<b>TYPE</b>	<b>LOCATION</b>
BULLET	KITCHEN- PERIMETER
BULLET	GATE 2
BULLET	MAIN GATE
DOME	DR TO LOBBY
DOME	OPD
DOME	ER - INSIDE
DOME	LAB - HALLWAY
DOME	OB- HALLWAY
DOME	NURSE STATION
DOME	CASHIER
DOME	PHARMACY

### **SAN LUIS DISTRICT HOSPITAL - SLDH**

- At least 1 units 2MP IP Network Bullet Cameras
- At least 2 units 2MP IP Network Dome Cameras
- At least 1 unit 16 Channels Network Video Recorder with 2 units 2TB HDD
- At least 1 unit 43-inch LED Monitor with bracket
- 1 lot Labor (Installation, termination from the I/O port to data cabinet, configuration, testing and commissioning, and others to complete the project)

<b>TYPE</b>	<b>LOCATION</b>
BULLET	ER - FRONT
DOME	KITCHEN TO OB HALLWAY
DOME	WARD HALLWAY

### **REQUIREMENTS**

1. Brand and Model of the items being offered must be attached in the quotation.
2. Supplier must have a service facility within the locality for aftersales.
3. The procuring entity reserves the right to conduct product testing / inspection to determine the fitness of the items being offered by prospective supplier.

**AFTER SALES SERVICE**

1. One (1) year warranty on parts and services.
2. Replacement of Defective item within 24 hours upon notification by the end user.

**SCHEDULE OF REQUIREMENTS**

1. The project duration shall be for thirty (30) calendar days from receipt of purchase order.

**TERMS OF PAYMENT**

For and in consideration of the full and satisfactory execution and performance by the Supplier of the obligation under this TOR, the Procurement Entity shall pay the Supplier the price upon Final Acceptance of the project and all its documentation by the end user.

I hereby certify to comply with all the above Terms of Reference.

\_\_\_\_\_  
Signature over printed name of authorized representative  
Designation : \_\_\_\_\_  
Company : \_\_\_\_\_