

## Republic of the Philippines Province of Pampanga

## **Bids and Awards Committee**

Provincial Capitol, City of San Fernando, (P) / (045) 435-5901

JUN 2 7 2024

RFQ No. 240619

P.R. No. / Date / End User / Purpose:

(24-3342 6/6/2024 PDRRMO To be used for Regional Collapsed Structure Sea

2024)
PEQUEST FOR QUOTATION
REQUEST FOR QUOTATION
Small Value Procurement
ompany Name:
ddress:
el. No.:
ease quote your lowest price for the requirements listed hereunder subject to the Terms and Conditions stated below and submit to this
fice duly signed by you or your representative not later than 4:00 p.m. JUL: 0 2 2024

APPROVED BUDGET FOR THE CONTRACT (ABC):

PhP 207,975.00

MASLOG CHAIRRENSON P Bids and Alvards Committee

## TERMS AND CONDITIONS

- All quotations may be typewritten or handwritten, placed in a sealed envelope.
- All quotations shall be valid for one hundred twenty (120) calendar days from the deadline of the submission of the same.
- Any erasures or overwriting shall be valid only if they are signed or initialed by the supplier or its authorized representative.
- Interested suppliers are required to submit their valid current Mayor's Permit, PhilGEPS Registration Number, and Income/BIR Tax Return (for ABCs above P500,000.00) upon submission of quotation. In lieu of the Mayor's Permit and PhilGEPS Registration Number, the PhilGEPS Certificate of Platinum Membership may be submitted. For new businesses, submit the BIR Certificate of Registration and latest quarterly return or percentage tax..
- The applicable rate for late deliver ies is gne tenth (1/10) of one percent (1%) of the cost of the unperformed portion for everyday of delay.
- The Provincial Government of Pampanga reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected supplier/s.
- The PGP also reserves the right to waive any required formality in the proposals received, and select the proposal which it determine to be the most advantageous to the government.

Item No.	Qty	Unit	<u>ltem Description</u>	Unit Price	Total Price
1	2	pleces	5-Gallon (s) Plastic General Bucket  - Uniform wall thickness for stacking strength  - Made of 70-mil high-density polyethylene HDPE  - Galvanized metal handle  - Size: at least 11.9 inches x 14.17 inches		
2	2	units	Chainsaw replacement chain (Existing STHIL Chainsaw) - STHIL - Size: 24"		
3	2	units	Chainsaw replacement chain ( Existing STHIL Chainsaw ) - STHIL - Size: 36"		
4	5	units	Hacksaw replacement blades		
5	2	kilograms	Round Wire Nails - Made from basic raw mild steel material - Size: at least 125mm / 5 inch		
6	2	kilograms	Round Wire Nails - Made from basic raw mild steel material - Size: at least 65mm / 2,5 inch		
7	4	bottles	Oil, Two-cycle motor (2T Oil) - 1 liter per container		-
8	6	pieces	Pencils - Carpenter Size: 5.0x2.0mm		

					JUN 2 1 2024
	* :.:<	-	Item Description	Unit Price	Total Price
	9	2 unii	Reciprocating saw replacement blades (Existing Makita reciprocating saw)  - For cutting metal - Length: 6"/152mm - Thickness of the Blade: 0.9mm - Tooth per inches (TPI): 14 - Metal plate: 3-8mm - Pipe: 10-100mm		
1	0 2	unit	Reciprocating saw replacement blades (Existing Makita reciprocating saw)  - For cutting wood  - Teeth per inch: 6  - Over all length: 152mm  - Blade thickness: 1.2 mm		
11	1	piece	Heavy-duty Spade Shovel with metal handle - Silverstone Powder Coated - Blade Dimension: approx. 18.5 x 29 cm - Ideal for transferring soil or gravel - Metal Handle - Length: at least 101 cm (end to end) - Dimension: approx. 101 x 21 x 10 cm - Weight: at least 1.75 kg		
12	4	cans	Spray paint - Color: International Fluorescent orange - 400 ml per can - Gasoline resistant - Crack resistant (Super flexible) - Non-Yellowing		
13	2	pleces	Tape measure, metric, 10-meter minimum  - Length: at least 10 m  - Blade width: at least 32 mm  - Stand out: at least 3.3 m  - Mylar coated: at least 150 mm  - Fatmax tapes have a 25% wider 32 mm width blade with a huge 3.3 m  standout  - Easy to read large sized numbers and markers, can be seen easily at a distance		
14	1	unit	Straight-cut aviation tin snip  - Dimensions: approx. 25.98 x 8.38 x 2.54 cm; 362.87 g  - High-leverage design with serrated-edge blades  - 2-colored handle with rubberized grip  - Locking latch with one-handed auto-release		
15	4	sets	Air Chisel Hammer with at least three bits  - Lightweight aluminum body with a medium barrel design - S handle for comfort and ease - Operating pressure: 90 PSI - Air inlet size: at least 1/4 in - Average Air Consumption (standard cubic feet per minute-SCFM): 4,5 - Weight: at least 3.4 lbs		
16	6	pleces	Crowbar - Solid steel - at least 5 ft x 1 1/8 in		
17	30	pleces	Long-sleeved Personal Protective Clothing  - Material: 65% polyester + 35% cotton  - Sleeve & Shoulder made of Rip-stop fabric  - Loose fit  - 1/4 front zip; two arm pockets; large patch on both arm for individuality patches' long sleeve with hook & loop adjustable cuffs; two pockets for reinforced protected elbow pads		
18	6		Heavy-duty working gloves  - Offers impact protection, advanced cut - Resistance and grip - Stitched palm - High visibility for increased safety - Liner material: high performance polyethylene (HPPE) - Cuff style: Extended neoprene wrist closure		

Blow pads			Item Description	·	
Set   Pairs   Helmer mode of playcarbonate outer shell   Non-marring   Conformable adjustable elastic strap system   High Impact inter foam (1/2* thick)   Outer layer covered in durable, hardson resistant condura nylon fabric   The Conformable adjustable elastic strap system   High Impact mode of polycarbonate outer shell   Non-marring (not causing damage)   Conformative adjustable leastic strap system   High Impact mode of polycarbonate outer shell   Non-marring (not causing damage)   Conformative adjustable leastic strap system   High Impact mode adjustable leastic strap system   High Impact merities and unable, abbasion resistant cordura nylon fabric   The Conformative adjustable leastic strap system   High Impact merities are system   High Impact mode and promotive and keeps out dirt   Conformative adjustable leastic strap system   High Impact mode of the Impact   High Im	A .	A CONTRACTOR OF THE PARTY OF TH	Item Description	Unit Price	Total Price
- lifely impact moided polycarbonate outer shell - Non-marring root causing damage) - Confortable adjustable elastic strap system - lifely impact mare foam (1/2º thick) - Outer layer covered in durable, abrasion resistant cordura nylon fabric - Tricot have liner vicks away moisture and keeps out dirt - Color size with a flitter - One size, with adjustable strap - Outer layer made of high quality neoprene materials - Stee of mask of tests to 13.6 oz  21 12 sets - Dust Mask with Filter - One size, with adjustable strap - Outer layer made of high quality neoprene materials - Stee of mask of tests to 13.5 or (adjustable velcro) - 2 exhibition values for easy breathing - Adjustable aluminum nose cip - With 3 ps Carbon Activated Filters - Lightweight - Helmet adturnment arm is made of stainless steel wire, acetal, and polyamide - Cups made of ABS/FIPI materials (mixture of thermoplastic polyurethane) - multi layer sheet with soft layer - Insert (finer) made of PL Foam materials - Custinous and cushion covers made of PU Foam and PVC NRR 25 dB  Terms of Reference: - 1. Printed document/material with the Brand, Model and specifications of the lamn's being offered must be attached together with quotation 2. The procuring entity reserves the right to conduct product testing / inspection to ensure the fitness of the items being offered by prospective suppliers.  After Sales Service: - 1. Replacement of defective items within 24 hours upon notification by the end-user 2. At least one (1) year warranty - Schedule of Requirements: - 1. Delivery within fifteen (15) days upon receipt of PO/NOA  Total Lot Price  e. The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.  BIDS AWARDS COMMITTEE: - The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.  BIDS AWARDS COMMITTEE: - The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.	6	pairs	<ul> <li>- High impact molded ploycarbonate outer shell</li> <li>- Non-marring</li> <li>- Comfortable adjustable elastic strap system</li> <li>- High impact inner foam (1/2" thick)</li> <li>- Outer layer covered in durable, abrasion resistant cordura nylon fabric</li> <li>- Tricot inner liner wicks away moisture and keeps out dirt</li> <li>- Color: Black</li> </ul>		
Outer layer made of high quality noprene materials - Size of mask: at least 30 x 15 cm (adjustable veloro) - 2 exhalation valves for easy breathing - Adjustable aluminum nose dip - With 3 pcs Carbon Activated Filters  Helmet-mounted ear muffs - Lightweight - Helmet attachment arm is made of stainless steel wire, acetal, and polyamide - Cups made of ABS/TPU materials (mixture of thermoplastic polyurethane) - multi layer sheet with soft layer - Insert (liner) made of PU Foam materials - Cushions and cushion covers made of PU Foam and PVC NRR 25 dB  Terms of Reference: 1. Printed document/material with the Brand, Model and specifications of the litem/s being offered must be attached together with quotation. 2. The procuring entity reserves the right to conduct product testing / Inspection to ensure the fitness of the Items being offered by prospective suppliers.  After Sales Service: 1. Replacement of defective Items within 24 hours upon notification by the end-user. 2. At least one (1) year warranty  Schedule of Requirements: 1. Delivery within fifteen (15) days upon receipt of PO/NOA  Total Lot Price  e: The winning supplier shall submit a duly signed and notarized Ornnibus Sworn Statement prior to notice of award.  BIDS AWARDS COMMITTEE:	20 6	pairs	- High Impact molded polycarbonate outer shell - Non-marring (not causing damage) - Comfortable adjustable elastic strap system - High impact inner foam (1/2" thick) - Outer layer covered in durable, abrasion resistant cordura nylon fabric - Tricot inner liner wicks away moisture and keeps out dirt - Color: Black		
Lightweight - Helmet attachment arm is made of stainless steel wire, acetal, and polyamide - Cups made of ABS/TPU materials (mixture of thermoplastic polyurethane) - multi layer sheet with soft layer - Insert (liner) made of PU Foam materials - Cushions and cushion covers made of PU Foam and PVC NRR 25 dB  Terms of Reference: 1. Printed document/material with the Brand, Model and specifications of the litem's being offered must be attached together with quotation. 2. The procuring entity reserves the right to conduct product testing / inspection to ensure the fitness of the items being offered by prospective suppliers.  After Sales Service: 1. Replacement of defective items within 24 hours upon notification by the end-user. 2. At least one (1) year warranty  Schedule of Requirements: 1. Delivery within fifteen (15) days upon receipt of PO/NOA  Total Lot Price  te: The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.  BIDS AWARDS COMMITTEE:  ***  ***  ***  ***  ***  ***  ***	21 12	sets	- One size, with adjustable strap  - Outer layer made of high quality neoprene materials  - Size of mask: at least 30 x 15 cm (adjustable velcro)  - 2 exhalation valves for easy breathing  - Adjustable aluminum nose clip		
te: The winning supplier shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice of award.  EBIDS AWARDS COMMITTEE:  ving carefully read and accepted your Terms and Conditions, including the technical specifications, I/We offer to supply/deliver the item/s as ed above.  plier's authorized representative signature over printed name  gnation:  tact No.:  tact No.:	22 6		- Lightweight - Helmet attachment arm is made of stainless steel wire, acetal, and polyamide - Cups made of ABS/TPU materials (mixture of thermoplastic polyurethane) - multi layer sheet with soft layer - Insert (liner) made of PU Foam materials - Cushions and cushion covers made of PU Foam and PVC NRR 25 dB  Terms of Reference: 1. Printed document/material with the Brand, Model and specifications of the item/s being offered must be attached together with quotation. 2. The procuring entity reserves the right to conduct product testing / inspection to ensure the fitness of the items being offered by prospective suppliers.  After Sales Service: 1. Replacement of defective items within 24 hours upon notification by the end-user. 2. At least one (1) year warranty  Schedule of Requirements:		
EBIDS AWARDS COMMITTEE:  ring carefully read and accepted your Terms and Conditions, including the technical specifications, I/We offer to supply/deliver the item/s as ed above.  plier's authorized representative signature over printed name BAC CANVASSER tact No.:		<u></u> <u>L</u>			
BIDS AWARDS COMMITTEE:  ing carefully read and accepted your Terms and Conditions, including the technical specifications, I/We offer to supply/deliver the item/s as each above.  Dilier's authorized representative signature over printed name gnation:  Eact No.:  BAC CANVASSER	e: The winn	Ing supplier	shall submit a duly signed and notarized Omnibus Sworn Statement prior to notice	e of award	
gnation:tact No.:tlack the state of the st	BIDS AWAR	DS COMMIT	ITEE:		the item/s as
all Address.:	gnation:			/ASSER	
	ll Address.:			у	
	4	<b>্</b>			